



Life Chemicals Group
For Import & Export
L.C.G

Industrial Chemicals
Solvents - Plasticizers
Glycols - Hydrocarbons
Ketones & other Chemicals

Methanol

Section 2 – Product Specifications			
Test	Unit	Method	Specification
Appearance	IMPCA 003-98	Clear & free of Suspended Matter	
Purity on Dry Basis	%wt.	IMPCA 001-02	Min 99.85
Acetone content	mg/kg	IMPCA 001-02	Max 30
Ethanol	mg/kg	IMPCA 001-02	Max 50
Color Pt-Co	Pt-Co	ASTM D 1209	Max 5
Water	%wt.	ASTM E 1064	Max 0.1
Distillation at 760mm Hg	-----	-----	-----
Initial Boiling Point	°C	ASTM D 1078	Max Range 1.0°C Including 64.6 ±0.1°C 0.1°C
Dry point	°C	ASTM D 1078	
Range	°C	-----	
Specific Gravity@20°/20° 22020/20°C	-----	ASTM D 4052	0.791 – 0.793
PTT at 15°C	Minutes	ASTM D 1363	Min 60
Chloride as Cl	mg/kg	IMPCA 002-08	Max 0.5
Hydrocarbons	Visual	ASTM D 1722	Pass test
Carbon sable Substances	Pt-Co	ASTM E 346	Max 30
Acidity as Acetic Acid	mg/kg	ASTM D 1613	Max 30
Total Iron	mg/kg	ASTM E 394	Max 0.1
Non Volatile Matter	mg/1000ml	ASTM D 1353	Max 8
Odor	-----	ASTM D 1296	*

Head office: 27 El Hegaz St.
Heliopolis Cairo - Egypt
Tel.: +202 24549350 (5 Lines)
Fax: +202 24549377
E-mail: Info@lifecheme.com
Web Site: www.lifecheme.com